

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Withdrawn-Currently Amended) A disposable, laser-resistant eye patch for covering a human eye, comprising:

a first sheet member sized to fit entirely inside an eye socket in ~~a lateral dimension of the eye socket and/or in a vertical~~ at least one dimension of the eye socket;

a second sheet member smaller than the first sheet member;

a first adhesive layer over substantially an entire surface of one side of the first sheet member;

a metallic layer having first and second sides, the first side of the metallic layer being attached to the first sheet member by a central portion of the first adhesive layer and protecting an eye from laser light, the metallic layer not overlapping a peripheral portion of the first adhesive layer;

a second adhesive layer over the second side of the metallic layer, the second sheet member being attached to the second side by the second adhesive layer, and the second sheet member not overlapping the peripheral portion of the first adhesive layer.

2. (Withdrawn-Currently Amended) A disposable, laser-resistant eye patch, comprising:

a first sheet member having a first thickness;

a second sheet member smaller than the first sheet member having a second thickness substantially equal to the first thickness;

a first adhesive layer over substantially an entire surface of one side of the first sheet member;

a metallic layer having first and second sides, the first side of the metallic layer being attached to the first sheet member by a central portion of the first adhesive layer and protecting an eye from laser light, the metallic layer not overlapping a peripheral portion of the first adhesive layer;

a second adhesive layer over the second side of the metallic layer, the second sheet member being attached to the second side by the second adhesive layer, and the second sheet member not overlapping the peripheral portion of the first adhesive layer.

3. (Withdrawn-Currently Amended) A disposable, laser-resistant eye patch, comprising:

a first sheet member made of foamed plastic material having a first thickness in a range of from about 0.1 mm to about 5 mm;

a second sheet member made of foamed plastic material having a second thickness in a range of from about 0.1 mm to about 5 mm;

a first adhesive layer over substantially an entire surface of one side of the first sheet member;

a metallic layer having first and second sides, the first side of the metallic layer being attached to the first sheet member by a central portion of the first adhesive layer and protecting an eye from laser light, the metallic layer not overlapping a peripheral portion of the first adhesive layer;

a second adhesive layer over the second side of the metallic layer, the second sheet member being attached to the second side by the second adhesive layer, and the second sheet member not overlapping the peripheral portion of the first adhesive layer.

4. (Withdrawn-Currently Amended) A disposable, laser-resistant eye patch, comprising:

a first sheet member;

a second sheet member; and

a metallic layer interposed between the first and second sheet members and
protecting an eye from laser light;

wherein the first and second sheet members are permanently adhered together.

5. (Withdrawn-Currently Amended) A disposable, laser-resistant eye patch according to claim 4, wherein the first sheet member is sized to fit entirely inside a human eye socket in ~~a lateral dimension of the eye socket and/or in a vertical~~ at least one dimension of the eye socket.

6. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the metallic layer is smaller than the first sheet member and does not overlap a peripheral portion of the first sheet member.

7. (Withdrawn) The disposable, laser-resistant eye patch according to claim 6, further comprising an adhesive layer on at least a portion of a periphery of a surface of the first sheet member.

8. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the first sheet member and the second sheet member are made of a same material.

9. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the first and second sheet members each have a thickness in a range of from about 0.1 mm to about 5 mm.

10. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the first and second sheet members each have a thickness in a range of from about 0.1 mm to about 2 mm.

11. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the first and second sheet members each have a thickness of about 0.5 mm.

12. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein at least one of the first sheet member and the second sheet member is made of biocompatible foamed plastic material.
13. (Withdrawn) The disposable, laser-resistant eye patch according to claim 7, wherein the second sheet member does not overlap the peripheral portion of the first sheet member.
14. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the metallic layer has a thickness greater than 0.001 mm.
15. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the metallic layer has a thickness in a range of from about 0.001 mm to about 1 mm.
16. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the metallic layer has a thickness of about 0.04 mm.
17. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the metallic layer comprises aluminum.
18. (Withdrawn) The disposable, laser-resistant eye patch according to claim 17, wherein the metallic layer comprises pure aluminum.
19. (Withdrawn) The disposable, laser-resistant eye patch according to claim 17, wherein the metallic layer comprises an aluminum alloy.
20. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the metallic layer comprises one of copper, brass, stainless steel, tin and carbon steel.
21. (Withdrawn) The disposable, laser-resistant eye patch according to claim 20, wherein the metallic layer comprises a pure metal.
22. (Withdrawn) The disposable, laser-resistant eye patch according to claim 20, wherein the metallic layer comprises a metal alloy.

23. (Withdrawn) The disposable, laser-resistant eye patch according to claim 4, wherein the metallic layer is not part of a metallized polymer layer.
24. (Currently Amended) A disposable, laser-resistant eye patch, comprising:
a sheet member of foamed material sized to fit entirely within a human eye socket in ~~a lateral dimension of the eye socket and/or in a vertical~~ at least one dimension of the eye socket; and
a metallic layer attached to the sheet member and protecting an eye from laser light.
25. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the metallic layer is smaller than the sheet member and does not overlap a peripheral portion of the sheet member.
26. (Previously Presented) The disposable, laser-resistant eye patch according to claim 25, further comprising an adhesive layer on at least a portion of a periphery of a surface of the sheet member.
27. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the sheet member has a thickness in a range of from about 0.1 mm to about 5 mm.
28. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the sheet member has a thickness in a range of from about 0.1 mm to about 2 mm.
29. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the sheet member has a thickness of about 0.5 mm.
30. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the sheet member is made of biocompatible foamed plastic material.
31. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the metallic layer has a thickness greater than 0.001 mm.

32. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the metallic layer has a thickness in a range of from about 0.001 mm to about 1 mm.

33. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the metallic layer has a thickness of about 0.04 mm.

34. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the metallic layer comprises aluminum.

35. (Original) The disposable, laser-resistant eye patch according to claim 34, wherein the metallic layer comprises pure aluminum.

36. (Original) The disposable, laser-resistant eye patch according to claim 34, wherein the metallic layer comprises an aluminum alloy.

37. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the metallic layer comprises one of copper, brass, stainless steel, tin and carbon steel.

38. (Original) The disposable, laser-resistant eye patch according to claim 37, wherein the metallic layer comprises a pure metal.

39. (Original) The disposable, laser-resistant eye patch according to claim 37, wherein the metallic layer comprises a metal alloy.

40. (Original) The disposable, laser-resistant eye patch according to claim 24, wherein the metallic layer is not part of a metallized polymer layer.

41. (Withdrawn-Currently Amended) A method of protecting a patient's eye during treatment of an adjacent portion of the patient's face, comprising adhering a disposable, laser-resistant eye patch according to claim 1 over said eye and entirely within a corresponding eye socket of said patient ~~in the lateral dimension of the eye socket and/or in the vertical~~ at least one dimension of the eye socket.

42. (Withdrawn-Currently Amended) A method of protecting a patient's eye during treatment of an adjacent portion of the patient's face, comprising adhering a

disposable, laser-resistant eye patch according to claim 2 over said eye and entirely within a corresponding eye socket of said patient in ~~a lateral dimension of the eye socket and/or in a vertical~~ at least one dimension of the eye socket.

43. (Withdrawn-Currently Amended) A method of protecting a patient's eye during treatment of an adjacent portion of the patient's face, comprising adhering a disposable, laser-resistant eye patch according to claim 3 over said eye and entirely within a corresponding eye socket of said patient in ~~a lateral dimension of the eye socket and/or in a vertical~~ at least one dimension of the eye socket.

44. (Withdrawn-Currently Amended) A method of protecting a patient's eye during treatment of an adjacent portion of the patient's face, comprising adhering a disposable, laser-resistant eye patch according to claim 4 over said eye and entirely within a corresponding eye socket of said patient in ~~a lateral dimension of the eye socket and/or in a vertical~~ at least one dimension of the eye socket.

45. (Currently Amended) A method of protecting a patient's eye during treatment of an adjacent portion of the patient's face, comprising adhering a disposable, laser-resistant eye patch according to claim 24 over said eye and entirely within a corresponding eye socket of said patient in ~~the lateral dimension of the eye socket and/or in the vertical~~ at least one dimension of the eye socket.

46. (Withdrawn) A dispenser roll assembly, comprising:
an elongate release layer coiled into a roll;
a plurality of disposable, laser-resistant eye patches according to claim 1 attached to the release layer.

47. (Withdrawn) A dispenser roll assembly, comprising:
an elongate release layer coiled into a roll;

a plurality of disposable, laser-resistant eye patches according to claim 2 attached to the release layer.

48. (Withdrawn) A dispenser roll assembly, comprising:
an elongate release layer coiled into a roll;
a plurality of disposable, laser-resistant eye patches according to claim 3 attached to the release layer.

49. (Withdrawn) A dispenser roll assembly, comprising:
an elongate release layer coiled into a roll;
a plurality of disposable, laser-resistant eye patches according to claim 4 attached to the release layer.

50. (Original) A dispenser roll assembly, comprising:
an elongate release layer coiled into a roll;
a plurality of disposable, laser-resistant eye patches according to claim 24 attached to the release layer.

51. (Withdrawn-Currently Amended) The disposable, laser-resistant eye patch according to claim 1, wherein the first sheet member is sized to fit entirely inside the eye socket in both ~~the~~a lateral dimension of the eye socket and ~~the~~a vertical dimension of the eye socket.

52. (Withdrawn) The disposable, laser-resistant eye patch according to claim 1, wherein the peripheral portion extends along an entire periphery of the first adhesive layer, and the metallic layer and the second sheet member do not overlap any part of the peripheral portion.

53. (Withdrawn) The disposable, laser-resistant eye patch according to claim 2, wherein the peripheral portion extends along an entire periphery of the first adhesive layer,

and the metallic layer and the second sheet member do not overlap any part of the peripheral portion.

54. (Withdrawn) The disposable, laser-resistant eye patch according to claim 3, wherein the peripheral portion extends along an entire periphery of the first adhesive layer, and the metallic layer and the second sheet member do not overlap any part of the peripheral portion.

55. (Withdrawn-Currently Amended) The disposable, laser-resistant eye patch according to claim 5, wherein the first sheet member is sized to fit entirely inside the eye socket in both ~~the~~a lateral dimension of the eye socket and ~~the~~a vertical dimension of the eye socket.

56. (Withdrawn) The disposable, laser-resistant eye patch according to claim 6, wherein the peripheral portion extends along an entire periphery of the first sheet member, and the metallic layer does not overlap any part of the peripheral portion.

57. (Withdrawn) The disposable, laser-resistant eye patch according to claim 13, wherein the peripheral portion extends along an entire periphery of the first sheet member, and the second sheet member does not overlap any part of the peripheral portion.

58. (Currently Amended) The disposable, laser-resistant eye patch according to claim 24, wherein the sheet member is sized to fit entirely inside the eye socket in both ~~the~~a lateral dimension of the eye socket and ~~the~~a vertical dimension of the eye socket.

59. (Previously Presented) The disposable, laser-resistant eye patch according to claim 25, wherein the peripheral portion extends along an entire periphery of the sheet member, and the metallic layer does not overlap any part of the peripheral portion.